ELSEVIER

Journal of Affective Disorders 63 (2001) 267–268

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Contents (Vol. 63)

Nos. 1 – 3 – March 2001

Millenial article

Convulsive therapy: a review of the first 55 years
M. Fink (USA) 1

Research Reports

Electroconvulsive therapy is associated with superior symptomatic and functional change in depressed patients after psychiatric hospitalization
W.V. McCall, B.A. Reboussin, W. Cohen, P. Lawton (USA) 17

Immune–inflammatory markers in patients with seasonal affective disorder: effects of light therapy
S.-J. Leu, I.-S. Shiah, L.N. Yatham, Y.-M. Cheu, R.W. Lam (Taiwan, ROC, Canada) 27

Long-term medical conditions and major depression in a Canadian population study at waves 1 and 2
S.B. Patten (Canada) 35

Expressed emotion of families and the course of mood disorders: a cohort study in Japan
Y. Mino, S. Shimodera, S. Inoue, H. Fujita, S. Tanaka, S. Kanazawa (Japan) 43

Subsyndromal depression in adolescents after a brief psychotherapy trial: course and outcome
D.A. Brent, B. Birmaher, D. Kolko, M. Baugher, J. Bridge (USA) 51

Suicidal thoughts and attempts among adolescents: a longitudinal 8-year follow-up study
A. Sourander, L. Helstelä, A. Haavisto, L. Bergroth (Finland) 59

Personality and outcome in depression: an 18-month prospective follow-up study
D. O'Leary, F. Costello (Ireland, UK) 67

Mood-stabilisers reduce the risk of developing antidepressant-induced maniform states in acute treatment of bipolar I depressed patients
R. Bottlender, D. Rudolf, A. Strauß, H.-J. Möller (Germany) 79

The inflammatory response following delivery is amplified in women who previously suffered from major depression, suggesting that major depression is accompanied by a sensitization of the inflammatory response system
M. Maes, W. Ombelet, R. De Jongh, G. Kenis, E. Bosmans (The Netherlands, Belgium, Italy, USA) 85

Inflammatory markers in major depression and melancholia
M. Rothermundt, V. Arolt, M. Peters, H. Gutbrodt, J. Fenker, A. Kersting, H. Kirchner (Germany) 93

Can personality traits predict increases in manic and depressive symptoms?
B.E. Lozano, S.L. Johnson (USA) 103

Risk and preventive factors of post-traumatic stress disorder (PTSD): alcohol consumption and intoxication prior to a traumatic event diminishes the relative risk to develop PTSD in response to that trauma
M. Maes, L. Delmeire, J. Mylle, C. Altamura (Belgium, The Netherlands, Italy, USA) 113

PII: S0165-0327(01)00325-1

Seasonal depression. The dual vulnerability hypothesis revisited
R.W. Lam, E.M. Tam, L.N. Yatham, I.-S. Shiah, A.P. Zis (Canada) 123
Beyond the Winokur concept of depression spectrum disease: which types of alcoholism are related to primary affective illness?
A. Kasperowicz-Dąbrowiecka, J.K. Rybakowski (Poland) 133
Delta sleep EEG in depressed adolescent females and healthy controls
R. Armitage, G.J. Emslie, R.F. Hoffmann, J. Rintelmann, A.J. Rush (USA) 139
Is gender a factor in psychiatrists' evaluation and treatment of patients with major depression?
M. Olfson, D.A. Zarin, B.S. Mittman, J.S. McIntyre (USA) 149
Suicide in young people aged 15–24: a psychological autopsy study
K. Houston, K. Hawton, R. Shepperd (UK) 159
Prolonged desipramine treatment increases the production of interleukin-10, an anti-inflammatory cytokine, in C57BL/6 mice subjected to the chronic mild stress model of depression
M. Kubera, M. Maes, V. Holan, A. Basta-Kaim, A. Roman, J. Shani (Poland, The Netherlands, Belgium, USA, Italy, Czech Republic, Israel) 171
The influence of positive and negative mood states on risk taking, verbal fluency, and salivary cortisol
L. Clark, S.D. Iversen, G.M. Goodwin (UK) 179
International development of the Quality of Life in Depression Scale (QLDS)
S.P. McKenna, L.C. Doward, T. Kohlmann, C. Mercier, M. Niero, M. Paes, D. Patrick, N. Ramirez, H. Thorsen, D. Whalley (UK, Germany, Canada, Italy, Maroc, USA, Spain, Denmark) 189
Infant massage improves mother–infant interaction for mothers with postnatal depression
K. Onozawa, V. Glover, D. Adams, N. Modi, R.C. Kumar (UK) 201

Brief Reports

Measuring depression in women around menopausal age. Towards a validation of the Edinburgh Depression Scale
M.C. Becht, C.F. Van Erp, T.M. Teeuwisse, G.L. Van Heck, M.J. Van Son, V.J. Pop (The Netherlands) 209
15-year outcome of treated bipolar disorder
S.-Y.M. Tsai, C.-C. Chen, C.-J. Kuo, J.-C. Lee, H.-C. Lee, S.M. Strakowski (Taiwan, USA) 215
Elevated plasma nitrate levels in depressive states
E. Suzuki, G. Yagi, T. Nakaki, S. Kanba, M. Asai (Japan) 221
Anti-depressant prescribing patterns for prison inmates with depressive disorders
J. Baillargeon, S.A. Black, S. Contreras, J. Grady, J. Pulvino (USA) 225
Screening for postnatal depression: are specific instruments mandatory?
D.T.S. Lee, A.S.K. Yip, H.F.K. Chiu, T.Y.S. Leung, T.K.H. Chung (Hong Kong) 233
Prevalence of premenstrual dysphoric disorder in female patients with seasonal affective disorder
N. Praschak-Rieder, M. Willeit, A. Neumeister, E. Hilger, J. Stastny, N. Thierry, E. Lenzinger, S. Kasper (Austria) 239

Preliminary Communications

Adjunctive gabapentin in treatment-resistant depression: a retrospective chart review
S. Yasmin, L.L. Carpenter, Z. Leon, J.M. Siniscalchi, L.H. Price (USA) 243
Primary and secondary depersonalisation disorder. a psychometric study
M.V. Lambert, C. Senior, W.D. Fewtrell, M.L. Phillips, A.S. David (UK) 249

Corrigendum 257
Author Index 259
Subject Index 263
Contents (Vol. 63) 267

Inflammatory markers in major depression and melancholia
M. Rothermundt, V. Arolt, M. Peters, H. Gutbrodt, J. Fenker, A. Kersting, H. Kirchner (Germany) 93
Can personality traits predict increases in manic and depressive symptoms?
B.E. Lozano, S.L. Johnson (USA) 103
Risk and preventive factors of post-traumatic stress disorder (PTSD): alcohol consumption and intoxication prior to a traumatic event diminishes the relative risk to develop PTSD in response to that trauma
M. Maes, L. Delmeire, J. Mylle, C. Altamura (Belgium, The Netherlands, Italy, USA) 113
Seasonal depression. The dual vulnerability hypothesis revisited
R.W. Lam, E.M. Tam, L.N. Yatham, I.-S. Shiah, A.P. Zis (Canada) 123
Beyond the Winokur concept of depression spectrum disease: which types of alcoholism are related to primary affective illness?
A. Kasperowicz-Dąbrowiecka, J.K. Rybakowski (Poland) 133
Delta sleep EEG in depressed adolescent females and healthy controls
R. Armitage, G.J. Emslie, R.F. Hoffmann, J. Rintelmann, A.J. Rush (USA) 139
Is gender a factor in psychiatrists' evaluation and treatment of patients with major depression?
M. Olfson, D.A. Zarin, B.S. Mittman, J.S. McIntyre (USA) 149
Suicide in young people aged 15–24: a psychological autopsy study
K. Houston, K. Hawton, R. Shepperd (UK) 159
Prolonged desipramine treatment increases the production of interleukin-10, an anti-inflammatory cytokine, in C57BL/6 mice subjected to the chronic mild stress model of depression
M. Kubera, M. Maes, V. Holan, A. Basta-Kaim, A. Roman, J. Shani (Poland, The Netherlands, Belgium, USA, Italy, Czech Republic, Israel) 171
The influence of positive and negative mood states on risk taking, verbal fluency, and salivary cortisol
L. Clark, S.D. Iversen, G.M. Goodwin (UK) 179
International development of the Quality of Life in Depression Scale (QLDS)
S.P. McKenna, L.C. Doward, T. Kohlmann, C. Mercier, M. Niero, M. Paes, D. Patrick, N. Ramirez, H. Thorsen, D. Whalley (UK, Germany, Canada, Italy, Maroc, USA, Spain, Denmark) 189
Infant massage improves mother–infant interaction for mothers with postnatal depression
K. Onozawa, V. Glover, D. Adams, N. Modi, R.C. Kumar (UK) 201

Brief Reports

Measuring depression in women around menopausal age. Towards a validation of the Edinburgh Depression Scale
M.C. Becht, C.F. Van Erp, T.M. Teeuwisse, G.L. Van Heck, M.J. Van Son, V.J. Pop (The Netherlands) 209
15-year outcome of treated bipolar disorder
S.-Y.M. Tsai, C.-C. Chen, C.-J. Kuo, J.-C. Lee, H.-C. Lee, S.M. Strakowski (Taiwan, USA) 215
Elevated plasma nitrate levels in depressive states
E. Suzuki, G. Yagi, T. Nakaki, S. Kanba, M. Asai (Japan) 221
Anti-depressant prescribing patterns for prison inmates with depressive disorders
J. Baillargeon, S.A. Black, S. Contreras, J. Grady, J. Pulvino (USA) 225
Screening for postnatal depression: are specific instruments mandatory?
D.T.S. Lee, A.S.K. Yip, H.F.K. Chiu, T.Y.S. Leung, T.K.H. Chung (Hong Kong) 233
Prevalence of premenstrual dysphoric disorder in female patients with seasonal affective disorder
N. Praschak-Rieder, M. Willeit, A. Neumeister, E. Hilger, J. Stastny, N. Thierry, E. Lenzinger, S. Kasper (Austria) 239

(continued on p. 270)

Preliminary Communications

Adjunctive gabapentin in treatment-resistant depression: a retrospective chart review
S. Yasmin, L.L. Carpenter, Z. Leon, J.M. Siniscalchi, L.H. Price (USA) 243
Primary and secondary depersonalisation disorder. a psychometric study
M.V. Lambert, C. Senior, W.D. Fewtrell, M.L. Phillips, A.S. David (UK) 249

Corrigendum 257
Author Index 259
Subject Index 261
Contents (Vol. 63) 267